

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	1	5-216996	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:45		
2	IS&R	6	((("5717843") or ("5774232") or ("5913095") or ("5999789") or ("5574800") or ("6656648")).PN.	USPAT	2004/07/09 14:09		
3	BRS	6	("4532650"   "4805123"   "4958374"   "5146509"   "5157735"   "5185812").PN.	USPAT	2004/07/09 12:27		
4	BRS	21	5574800.URPN.	USPAT	2004/07/09 15:03		
5	BRS	0	635630.pn. and edge	USPAT	2004/07/09 14:09		
6	BRS	1	6356300.pn. and edge	USPAT	2004/07/09 14:12		
7	BRS	1	6356300.pn. and (edge same (size or width or distance or dimension))	USPAT	2004/07/09 14:28		
8	BRS	265675	(edge or contour or border or boundary or outline) with (size or width or dimension or distance)	USPAT	2004/07/09 14:31		
9	BRS	359731	(pattern or mark\$3 or semiconductor or wafer or chip or circuit) near\$6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5)	USPAT	2004/07/09 14:31		
10	BRS	410738	(edge or contour or border or boundary or outline) with (size or width or dimension or distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
11	BRS	956529	(pattern or mark\$3 or semiconductor or wafer or chip or circuit) near\$6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
12	BRS	38217	((edge or contour or border or boundar\$4 or outline) with (size or width or dimension or distance)) and ((pattern or mark\$3 or semiconductor or wafer or chip or circuit) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
13	BRS	5587	((edge or contour or border or boundar\$4 or outline) with (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
14	BRS	279449	(edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
15	BRS	3630	((pattern or mark\$3 or semiconductor or wafer or chip or circuit) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5)) same ((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
16	BRS	4826	382/141,144,145,147,149,190,199,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
17	BRS	134	((pattern or mark\$3 or semiconductor or wafer or chip or circuit) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5)) same ((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) and 382/141,144,145,147,149,190,199,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:32		
18	BRS	1000924	(pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:34		
19	BRS	3965	((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:48		
20	BRS	174	382/141,144,145,147,149,190,199,209.ccls. and ((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 20:21		
21	BRS	1	6356300.pn. and (edge with direction)	USPAT	2004/07/09 17:30		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
22	BRS	1	6072897.pn. and width	USPAT	2004/07/09 17:30		
23	BRS	1	6072897.pn. and bias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:46		
24	BRS	2	6072897.pn. and (bias or difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:35		
25	BRS	1	6072897.pn. and (semiconduct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:35		
26	BRS	71072	(ledge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:46		
27	BRS	607	((ledge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4) with (threshold\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:49		
28	BRS	174	382/141,144,145,147,149,190,199,209.ccls. and ((ledge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analys\$4 or compar\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:49		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
29 BRS	9	((edge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)) with (threshold\$4) and (382/141,144,145,147,149,190,199,209.ccls. and ((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:52		
30 BRS	51	((edge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)) and (382/141,144,145,147,149,190,199,209.ccls. and ((edge or contour or border or boundar\$4 or outline) near7 (size or width or dimension or distance)) same ((pattern or mark\$3 or semiconductor or wafer or chip or circuit or defect\$3) near6 (inspect\$4 or recongi\$8 or detect\$4 or analy\$4 or compar\$5))) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:07		
31 BRS	1129	382/199.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:07		
32 BRS	330	382/199.ccls. and (edge or contour or border or boundar\$4 or outline) same (histogram or profile or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:08		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
33	BRS	242	382/199.ccls. and (edge or contour or border or boundar\$4 or outline) with (histogram or profile or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:08		
34	BRS	209	382/199.ccls. and (edge or contour or border or boundar\$4 or outline) near8 (histogram or profile or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:08		
35	BRS	203	382/199.ccls. and (edge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:08		
36	BRS	203	((edge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)) and 382/199.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 20:20		
37	BRS	38	((edge or contour or border or boundar\$4 or outline) near7 (histogram or profile or distribut\$4)) with (threshold\$4)) and 382/199.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:09		
38	BRS	2177	(edge or contour or border or boundar\$4 or outline) with ((horizontal or width) near3 (histogram or profile or distribut\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:35		
39	BRS	3816	(edge or contour or border or boundar\$4 or outline) with ((horizontal or width) near3 (histogram or profile or distribut\$4 or projection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:36		
40	BRS	2177	(edge or contour or border or boundar\$4 or outline) with ((horizontal or width) near3 (histogram or profile or distribut\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
41	BRS	16	((edge or contour or border or boundar\$4 or outline) with ((horizontal or width) near\$3 (histogram or profile or distribut\$4))) and 382/199.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:39		
42	IS&R	1	("5,617,487").PN.	USPAT	2004/07/12 18:39		
43	BRS	60217	((edge or contour or border or boundar\$4 or outline) near\$7 projection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:47		
44	BRS	44	((edge or contour or border or boundar\$4 or outline) near\$7 projection) and 382/199.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:52		
45	BRS	2	531600.pn. and ((edge or contour or border or boundar\$4 or outline) or projection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 18:53		
46	BRS	760	((edge or contour or border or boundar\$4 or outline) near\$7 (profile or project\$4)) same threshold\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 20:21		
47	BRS	4826	382/141,144,145,147,149,190,199,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 20:21		
48	BRS	47	((((edge or contour or border or boundar\$4 or outline) near\$7 (profile or project\$4)) same threshold\$4) and 382/141,144,145,147,149,190,199,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 12:06		
49	BRS	5	("4747149"   "5253304"   "5754684"   "5999647"   "6115497").PN.	USPAT	2004/07/12 20:31		
50	BRS	2	6072897.pn. and edge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 12:12		
51	IS&R	1	("4,392,120").PN.	USPAT	2004/07/13 15:24		